

Body Lotion Water-In-Silicone - "Silk Orange"

Skin Care

Ref: SC/0043/EU

Product Name	INCI Name	%W/W	Supplier
A			
Dow Corning 1501 Fluid	Cyclopentasiloxane (and) Dimethiconol	11.50	www.dowcorning.com
Dow Corning 245 Fluid	Cyclopentasiloxane	5.75	www.dowcorning.com
Dow Corning 5225C Formulation Aid	Cyclopentasiloxane (and) PEG/PPG-18/18 Dimethicone	13.80	www.dowcorning.com
Dow Corning AMS-C30 Cosmetic Wax	C30-45 Alkyl Methicone (and) C30-45 Olefin	3.45	www.dowcorning.com
Prestige® Silk Orange	Mica (and) Titanium Dioxide	2.00	www.eckart.net
B			
Tween 20	Polysorbate-20	0.60	www.uniqema.com
Uniphen P-23	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben	0.35	www.induchem.com
Sodium Chloride	Sodium Chloride	0.75	www.vwr.com
Water	Aqua	61.80	

Procedure

1. Mix phase A and heat up to 75°C
2. Mix phase B and heat up to 70°C
3. Add phase B slowly to phase A under homogenisation
4. Cool down while stirring
5. Pour into an appropriate container

Stability

Stable for at least 3 months at RT and 40°C.

Customer Support

ECKART GmbH & Co. KG
info.eckart@altanachemie.com

ECKART Cosmetic Colours LLC
info.eckart.usap@altanachemie.com

ECKART Asia Limited
info.eckart.asia@altanachemie.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.