

Shower Gel - "Sparkling Silver"

Ref: CL/0029/EU

Cleansing

Product Name	INCI Name	%W/W	Supplier
A			
Prestige® Sparkling Silver	Mica (and) Titanium Dioxide	0.01	www.eckart.net
Water	Aqua	67.89	
FD&C Blue No.1 (0.5% aqueous solution)	Blue 1	0.07	www.sunchemicals.com
FD&C Yellow No.5 (0.5% aqueous solution)	Yellow 5	0.08	www.sunchemicals.com
Carbopol ETD 2020	Acrylates/ C10-30 Alkyl Acrylate Crosspolymer	1.00	www.noveon.com
1, 2- Propanediol	Propylene Glycol	1.00	www.vwr.com
B			
Texapon T 42	TEA- Lauryl Sulfate	22.00	www.cognis.com
Rewomid DC 212 S	Cocamide Dea	3.00	www.degussa.com
Tego Betain F 50	Cocamidopropyl Betaine	4.00	www.cognis.com
Edeta BD	Disodium EDTA	0.05	www.basf.com
C			
Triethanolamine	Triethanolamine	0.30	www.vwr.com
Euxyl PE 9010	Phenoxyethanol, Ethylhexylglycerin	0.60	www.schuelke-mayr.com

Procedure

1. Disperse Carbopol in phase A
2. Heat phase A to 65°C
3. Add one by one the ingredients of phase B
4. Cool down and continue to stir. When 40-45°C are reached add phase C

Stability

Stable for at least 6 months at RT and 40°C.

Customer Support

ECKART GmbH & Co. KG
info.eckart@altanachemie.com

ECKART Cosmetic Colours LLC
info.eckart.usap@altanachemie.com

ECKART Asia Limited
info.eckart.asia@altanachemie.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.