

Tinted Day Cream - "Soft Deluxe"

Skin Care

Ref: SC/0018/EU

Product Name	INCI Name	%W/W	Supplier
A			
		100.00	
Prestige® Soft Beige	Mica (and) Titanium Dioxide (and) Iron Oxides	1.00	www.eckart.net
Prestige® Silk Red	Mica (and) Titanium Dioxide	2.00	www.eckart.net
Syloblanc 34	Silica	3.00	www.gracedavision.com
Pricerine 9090	Glycerin	5.00	www.uniqema.com
Allantoin	Allantoin	0.40	www.3V.com
Silk Mica	Mica	3.00	www.vwr.com
Boroneige #1501	Boron Nitride	1.50	www.esk.com
Water	Aqua	65.30	
Keltrol T	Xanthan Gum	0.20	www.cpkelco.com
B			
Lipomulse 165	Glyceryl Stearate (and) PEG-100 Stearate	2.00	www.lipochemicals.com
Montanov 68	Ceteryl Alcohol (and) Cetearyl Glucoside	2.20	www.seppic.com
Dow Corning 200 Fluid/ 350 cst	Dimethicone	1.00	www.dowcorning.com
Tego Soft CI	Cetearyl Isononanoate	5.10	www.degussa.com
Eutanol G	Octyldodecanol	4.00	www.cognis.com
Shea Butter	Butyrospermum Parkii (Shea Butter)	3.80	www.jandekker.com
C			
Uniphen P-23	Phenoxyethanol (and) Methylparaben (and) Ethylparaben (and) Butylparaben	0.40	www.induchem.com
Sensuality	Fragrance	0.10	www.drom.de

Procedure

1. Disperse Keltrol in phase A
2. Heat phase A to 80°C
3. Heat phase B to 80°C
4. Add phase B slowly to phase under agitation.
5. Cool to 40°C and add phase C

Stability

Stable for at least 6 months at RT and 40°C.

Customer Support

ECKART GmbH & Co. KG
info.eckart@altanachemie.com

ECKART Cosmetic Colours LLC
info.eckart.usap@altanachemie.com

ECKART Asia Limited
info.eckart.asia@altanachemie.com

This information and our technical advice - whether verbal, in writing or by way of trials - are given in good faith but without warranty, and this also applies where proprietary rights of third parties are involved. Our advice does not release you from the obligation to verify the information currently provided - especially that contained in our safety data and technical information sheets - and to test our products as to their suitability for the intended processes and uses. The application, use and processing of our products and the products manufactured by you on the basis of our technical advice are beyond our control and, therefore, entirely your own responsibility.