

Cosmetics

RR 8068

Baycusan® C 1008

Organic Raspberry Curl Definition Spray

		% by wt.
Phase A	Aqua	85.10
	Disodium EDTA (10% solution)	0.50
	Acrylates/C10-30 Alkyl Acrylate Crosspolymer ¹⁾	0.20
	Propylene Glycol	3.00
	Rubus Idaeus ²⁾	0.10
Phase B	Propylheptyl Caprylate	2.00
	Dimethicone	2.00
Phase C	Phenoxyethanol (and) Ethylhexylglycerin ³⁾	1.00
	Baycusan® C 1008	6.00
	Panthenol	0.10
		100.00

Raw materials

- 1) Pemulen® TR 2, Lubrizol
- 2) Actipone® Raspberry (Organic) GW, Symrise
- 3) Euxyl® PE 9010, Schuelke & Mayr

Cosmetics

RR 8068

Processing

1. Phase A is combined at room temperature under rapid stirring.
2. Add all ingredients of phase B in a separate vessel under stirring.
3. When the phases are uniform, phase A is added to phase B under continuous mixing.
4. Phase C is added and the emulsion is moderately homogenized.
5. Adjust pH if necessary with sodium hydroxide to 5.5

The above formulation is intended solely as a guide for our business partners and others interested in our products. Further, although the ingredients, quantities thereof and properties of compounds or finished goods mentioned herein reflect our recommendation at the time of publication, this guide may not be subject to continuous review and/or updating, and you agree that use is undertaken at your sole risk. All information is given without warranty or guarantee, and it is expressly understood and agreed that you assume, and hereby expressly release us from, all liability, in tort, contract or otherwise, incurred in connection with the use of this guide.

Published by: Coatings, Adhesives & Specialties
Bayer MaterialScience AG,
51368 Leverkusen, Germany
www.bayercosmetics.com

Contact : Sophie Viala
Phone: +49 214 30 44762