

Prime'n Glow Fluid Sunscreen SPF 50+







%	INGREDIENT	INCI NAME	SUPPLIER
Part	1		
23.00	ZNO XZ-11S3L	Zinc Oxide (And) Triethoxycaprylylsilane	Kobo Products
11.61	Purolan IDD	Isododecane	Lanxess
11.00	BRB DM 2	Dimethicone	BRB International BV
3.00	Hallbrite BHB	Butyloctyl Salicylate	Hallstar
2.00	Sunboost ATB Natural	Argania Spinosa Kernel Oil (And) Tocopheryl Acetate (And) Bisabolol	Kobo Products
Part	2		
8.00	INP60T7	Titanium Dioxide (And) Isononyl Isononanoate (And) Alumina (And) Hydrogen Dimethicone (And) Polyhydroxystearic Acid	Kobo Products
4.00	KOBOGUARD® MQ60DM	Trimethylsiloxysilicate (And) Dimethicone	Kobo Products
Part	3		
0.40	DIM2F45TRY	Dimethicone (And) Iron Oxides (CI 77492) (And) PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate	Kobo Products
0.14	DIM2F50TRR	Dimethicone (And) Iron Oxides (CI 77491) (And) PEG-9 Polydimethylsiloxyethyl Dimethicone (And) Hydrogen Dimethicone (And) Polyglyceryl-4 Isostearate (And) Cetyl PEG/PPG-10/1 Dimethicone (And) Hexyl Laurate	Kobo Products
0.05	KTZ® EBONY	Iron Oxides (CI 77499) (And) Mica	Kobo Products
Part	4		
5.00	Gransil DM 5	Dimethicone (And) Polysilicone-11	Grant Industries
3.00	KF-6038	Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone	Shin-Etsu
2.00	KSG-320	Isododecane (And) PEG-15 Lauryl Dimethicone Crosspolymer	Shin-Etsu
Part	5		
13.50	P.water	Deionized Water	X
5.00	Butylene Glycol	Butylene Glycol	Univar
1.00	Mg Sulfate Hept	Magnesium Sulfate Heptahydrate	Fisher Scientific
0.80	Symdiol 68	1,2-Hexanediol (And) Caprylyl Glycol	Symrise
0.50	Symsave H	Hydroxyacetophenone	Symrise
Part	6		
3.00	CARESS® BN12	Boron Nitride	Kobo Products
2.00	MSS-500W	Silica	Kobo Products
1.00	KTZ® CELANDON GOLD- 11S2	Titanium Dioxide (And) Mica (And) Iron Oxides (CI 77491) (And) Triethoxycaprylylsilane	Kobo Products
100.00			

Description:

A tinted mineral sunscreen formula that is super lightweight when applied to the skin. Due to its fluid nature, it can be also filled in a dropper bottle and be used as a serum SPF skin tint. A 20 nm PPS, transparent, silane treated Zinc Oxide, ZnO XZ-11S3L, and 47% active dispersion of 15 nm PPS TiO2 in Isononyl Isononaoate, INP60T7 have been used to achieve SPF 50 and broad spectrum protection. Sunboost ATB Natural is also used to boost sun protection and provide anti-oxidant protection to the skin. KOBOGUARD® MQ60DM is a film former based on Trimethylsiloxysilicate, helping the even deposition of the mineral filters on the skin. DIM2F50TRR and DIM2F45TRY are dispersions of transparent iron oxides that give the formula a tint without imparting any coverage to the formula. KTZ® EBONY, a black colored pearl helps to achieve the skin color tone. MSS-500W improves the spreadability of the formula and CARESS® BN12 imparts a lovely silky finish. Lastly, KTZ® CELANDON GOLD-11S2 gives the product a subtle glowy effect.

Manufacturing Procedure:

- 1. Prepare Part 1 and disperse ZnO at 8000 RPM for 10 minutes.
- 2. Add Part 2 and mix, add part 3 and homogenise at 3000 RPM for 2 minutes. Add part 4 and homogenise at 3500 RPM until smooth.
- 3. Prepare Part 5. Add Part 5 to Part 1 under propeller stirrer at 1000 RPM.
- 4. Add Part 6 under propeller stirrer.

Active Inaredient(s):

Titanium Dioxide 3.84% Zinc Oxide 22.31%

Testing:

SPF: in vivo on 5 subjects UVA-PF: in vitro method CW: FDA method





FORMULATIONS

Product formulations are included as illustrative examples only. Kobo Products Inc. makes no representation or warranty concerning the efficacy or safety of any product manufactured using such formulations. All statements concerning the possible use of Kobo Products Inc. are for research purposes only. Responsibility for the performance or adequate testing of any product prior to sale or use of any such product lies with the manufacturer thereof.

USE OF PRODUCTS

Products sold by Kobo are designed, manufactured and sold for industrial use only. Prior to use of any such product for any application other than an industrial use, the user has the sole responsibility and obligation to determine the suitability of any such product for any such application.

PATENT STATUS

Nothing contained herein shall be construed to imply the nonexistence of any relevant patents or to constitute a permission, inducement or recommendation to practice any invention covered by any patent, without authority from the owner of the patent.

LIMITATION OF LIABILITY

Kobo Products Inc. shall in no event, whether the claim is based on warranty, contract, tort, strict liability, negligence or otherwise, be liable for incidental or consequential damages, or for any other damages in excess of the amount of the purchase price.

KOBO

The Powder & Dispersion Specialist











KOBO PRODUCTS, INC 3474 South Clinton Avenue South Plainfield, NJ 07080

Tel: +1 - 908 757 0033 Fax: +1 - 908 757 0905



KOBO BRASIL, LTDA KOBO PRODUCTS, LTD Rua Francisco Nakazato n. 2357 67D(IV), Innovation Drive Itupeva SP 13.295-000 Milton Park, Abingdon, OX14 4RQ BRASIL UNITED KINGDOM

Tel: +55 (11) 5062 6034

Tel: +44 7913 636 673

KOBO PRODUCTS, SAS

135 Rue Buissonnière Quartier Bouysset FRANCE Tel: +33 - (0) 5 62 88 77 40

Fax: +33 - (0) 5 62 88 77 49

KOBO DISPATEK, INC

1-4-8 Nihombashi-bakurocho Chuoko, Tokyo, 103-0002 JAPAN