



Solid Sun Stick SPF20

ID Anhydrous / AS.013
pH-value N/A
Viscosity N/A
Product form Anhydrous stick

	Ingredient	INCI-name	% w/w	Supplier
1	Candelilla Wax	Euphorbia Cerifera (Candelilla) Wax	3.50	Koster Keunen
	HSFO - Vegetable Alternative to Beeswax 2	Hydrogenated Sunflower Seed Oil	8.00	EFP Biotek
	VAB - Vanilla Butter	Prunus Amygdalus Dulcis (Sweet Almond) Oil, Helianthus Annuus (Sunflower) Seed Oil, Hydrogenated Vegetable Oil, Vanilla Planifolia Fruit Oil	26.00	EFP Biotek
	Caprylic Capric Triglyceride	Caprylic Capric Triglyceride	20.40	several
	VAS - Vegetable Alternative to Silicone	Hydrogenated Ethylhexyl Olivat, Hydrogenated Olive Oil Unsaponifiables	15.00	EFP Biotek
	Sisterna A10E-C	Sucrose Tetrastearate Triacetate	10.00	Sisterna
	Eusolex T-AVO	Titanium Dioxide, Silica	8.00	Merck
	Ronacare Zinc Oxide	Zinc Oxide	4.00	Merck
	RonaFlair Flawless	Silica, Titanium Dioxide (CI 77891), Iron Oxides (CI 77491)	5.00	Merck
	Dermofeel Toco 70 Non-GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	1.00	Dr. Straetmans

Production method

1. Mix the ingredients at 75°C in the listed order.
2. Heat until completely transparent and homogeneous.
3. Pour directly into suitable packaging while molten.
4. Cool down slowly to room temperature. Final viscosity will be built up after 48h.