

WorléeScrub Olive – Peeling Shower Gel

CLEANSING | BODY SCRUB
RR-01-40-00

Exfoliating shower gels are an indispensable part of the care routine. Thus, dry, rough skin areas can be cared for already in the shower, as well as impurities can be prevented. **WorléeScrub Olive - Peeling Shower Gel** enables with a combination of two natural, mechanical exfoliating particles (**WorléeScrub Olive** and **WorléeBeads HCO**) to provide a velvet soft skin all over the body.

With the use of **WorléeAloe** in the gentle exfoliation formulation, moisture retention of the skin after the shower is supported. The mildly foaming gel is made exclusively from natural raw materials for gentle skin cleansing.

Phase	Ingredient	INCI [EU]	Supplier	%
A	Water	Aqua	/	62,55
A	Glycerin	Glycerin	div	3,00
A	KahlGum TQT80	Xanthan Gum	KahlWax GmbH & Co.KG	1,20
A	WorléeAloe IF 200x FD	Aloe Barbadensis Leaf Juice Powder	Worlée-Chemie GmbH	0,10
A	D-Panthenol 75W	Panthenol	BASF Personal Care and Nutrition GmbH	0,20
B	Plantacare 818 UP	Coco Glucoside	BASF Personal Care and Nutrition GmbH	15,00
B	Protelan AGL 95/C	Sodium Cocoyl Glutamate	Zschimmer & Schwarz GmbH	11,50
B	Sodium Benzoate	Sodium Benzoate	div	0,50
B	Citric Acid 50%ig aq.	Citric Acid, Aqua	div	2,50
B	Fragrance	Parfum	Symrise AG	0,30
C	FD&C Blue No.1 - 10%aq solution	CI 42090	Univar Inc.	0,10
C	SunCROMA D&C Yellow 10 - 10%aq solution	CI 47005	SunChemical	0,05
C	WorleeScrub Olive 500µm	Olea Europaea Seed Powder	Worlée-Chemie GmbH	2,00
C	WorleeBeads HCO blue 60/100 mesh	Hydrogenated Castor Oil, CI 42090	Worlée-Chemie GmbH	1,00
Total:				100,00

PROCEDURE

- Wet xanthan gum with glycerin and dissolve in water while stirring (impeller stirrer 450 rpm).
- Add the ingredients of phase B one after the other and dissolve completely (impeller stirrer 450-600 rpm)
- Add raw materials and stir in homogeneously.

PARAMETER

Apperance:	green - clear	Method:	PV-202
pH-Value:	5,00	Method:	PV-036
Viscosity:	1840 mPa*s	Method:	Rheometer, CP 1°/40mm, 25°C, 10 RPM

The stability of the formulation was tested: stability passed test criteria.

Remark: Due to the different liability status for colors, please check the registration status for your country.

For questions concerning product safety and dangerous substance classification you should obtain and review the applicable Material Safety Data Sheet information before handling any of these products.

CREATED AT: 08/02/2022

BY: Mkoe

VERS.: 1

The above declarations serve for information purposes only. In particular, they shall not be relevant to define binding specifications for any orders. With respect to any order, the specifications shall be governed by the provisions of the sales contract to be concluded between the parties (e.g. the "product specification").

Any deliveries are exclusively subject to our general standard terms and conditions in their respectively valid version. We will be happy to provide you with the general standard terms and conditions upon your request and they can be downloaded online at <http://www.worlee.de/GSTC>

Worlée-Chemie GmbH • Grusonstraße 26 • D-22113 Hamburg • Tel.: +49 40 73333-0 • Fax: +49 40 73333-2699 • E-Mail: cosmetics@worlee.de • www.worlee.de