Formulation Example

Rahmenrezeptur

Merck Chimie SAS 606.10.07.10

SUNNY VELVET LOTION (BASE + BOOSTER)

Ingredients A	Art. No.		INCI	[%]
Demineralized water Onativ' Apricot Organic P Glycerin 100% organic Bentone EW Keltrol CG-SFT RonaCare® Tiliroside	1.30214	(2) (3) (4) (5) (1)	AQUA (WATER) PRUNUS ARMENIACA (APRICOT) FRUIT WATER GLYCERIN HECTORITE XANTHAN GUM SORBITOL (AND) TILIROSIDE	20.90 22.00 5.00 1.00 0.50 0.50
B Emulium kappa		(6)	CANDELILLA/JOJOBA/RICE BRAN POLYGLYCERYL-3 ESTERS (AND) GLYCERYL STEARATE (AND) CETEARYL ALCOHOL (AND) SODIUM STEAROYL LACTYLATE	5.00
Organic decolorized Jojoba Seed Oil Cetiol C5		(3) (7)	BUXUS CHINENSIS SEED OIL COCO-CAPRYLATE	6.00 9.00
Organic apricot soft butter		(8)	HYDROGENATED PRUNUS ARMENIACA (APRICOT) KERNEL OIL	10.00
C Microcare DB Vitamin E natural RonaFlair™ White Sapphire Colorona® Bright Gold Colorona® Oriental Beige Perfume "Douce Nature" NATCO 09116	1.17751 1.17321 1.17237 06	(7) (1) (1) (1)	BENZOIC ACID (AND) DEHYDROACETIC ACID TOCOPHEROL SYNTHETIC SAPPHIRE MICA (AND) TITANIUM DIOXIDE MICA (AND) TITANIUM DIOXIDE (AND) IRON OXIDES PARFUM	1.00 0.10 0.50 0.27 0.08 0.15
D Demineralized water Microcare SB Onativ' Apricot Organic P Dihydroxyacetone Frangipani Floral Water	1.10150	(1)	AQUA (WATER) SODIUM BENZOATE (AND) POTASSIUM SORBATE PRUNUS ARMENIACA (APRICOT) FRUIT WATER DIHYDROXYACETONE AQUA (AND) PLUMERIA ALBA "LUMERIA RUBRA (AND) POTASSIUM SORBATE	8.80 0.20 6.00 2.00 0.50
Tiare Floral Water		(11)	AQUA (AND) GARDENIA TAHITENSIS FLOWER EXTRACT	0.50
Citric acid (sol. 20%)	1.00242	(1)	(AND) POTASSIUM SORBATE CITRIC ACID	0.03

Procedure :

BASE

Phase A: Mix water, apricot water and bentone EW with ultraturax stirring at 65°C. Then, add glycerine + xantha n gum at 75°C while stirring. Add tiliroside. Phase B: Heat phase B at 75°C while magnetic stirring. Proc eed to emulsion by adding phase B onto phase A, while constant into intensive heating (75°C) and high stirring during 15 min. Adapt stirring to emulsion viscosity while cooling down to 40°C. Finally, add ingredients of Phase C while stirring. Stop stirring when the emulsion temperature is near 25°C.

BOOSTER

Phase D: mix water, Apricot, Frangipani and Tiare water and microcare SB while magnetic stirring at RT during 5 min. Then, add DHA extrapure while stirring during 15 min. Finally, mesure pH of phase D and add citric acid to adjust pH.

Notes :

Aspect : rosy beige emulsion and incolor transparent lotion Stability : 2 months at room temperature and 45℃

Suppliers:

 (1) Merck KGaA / Rona®
 (2) Safic-Alcan
 (3) Prod'hyg
 (4) SACI-CFPA

 (5) CP-Kelco
 (6) Gattefossé
 (7) Cognis France
 (8) Phytocos (P2F)

 (9) Thor Personal Care SAS
 (10) Expressions Parfumées
 (11) Pacific Sud Ingrédients

Merck provides information on application technologies and relevant regulations based upon our current knowledge and opinion at the time of printing. Merck makes no representation or warranty of any kind, express or implied, including merchantability or fitness for a particular use, with respect to such information or its application. Purchasers must independently determine the suitability of our ingredients for the purchaser's intended product, use or process. Purchaser is responsible for observing all laws and regulations relevant to such products, uses or processes. The foregoing information and suggestions are also provided without warranty of non infringement as to the intellectual property rights of third parties, and shall not be construed as any inducement to infringe the rights of third parties.

