

<http://www.cossma.com>

<http://www.cossma.com/subscription>

<http://www.cossma.com/tv>

Marine alternative to hyaluronic acid?
Marine Alternative zu Hyaluronsäure?

(Article by Míriam Mateu, Cristina Davi, Elena Cañadas, Lipotec, Gava, Spain)

LITERATURE REFERENCES

1. Decho AW. Microbial biofilms in intertidal systems: an overview. *Continental Shelf Research*. 20: 1257 – 1273, 2000.
2. Potts M. Desiccation tolerance of prokaryotes. *Microbiol Rev*. 58(4): 755-805. Review, 1994.
3. Ortega-Morales BO, Santiago-García JL, Chan-Bacab MJ, et al. Characterization of extracellular polymers synthesized by tropical intertidal biofilm bacteria. *J Appl Microbiol*. 102(1): 254-264, 2007.
4. Guezennec J. Deep-sea hydrothermal vents: a new source of innovative bacterial exopolysaccharides of biotechnological interest? *J Ind Microbiol Biotechnol*. 29(4): 204-208, 2002.
5. Sutherland I. Biofilm exopolysaccharides: a strong and sticky framework. *Microbiology*. 147: 3-9, 2001.
6. Zhenming C, Yan F. Exopolysaccharides from marine bacteria. *J Ocean Univ China*. 4(1): 67-74, 2005.
7. Souza-Fernandes AB, Pelosi P, Rocco PR. Bench-to-bedside review: the role of glycosaminoglycans in respiratory disease. *Crit Care*. 10(6): 237, 2006.
8. House M, Kaplan DL, Socrate S. Relationships between mechanical properties and extracellular matrix constituents of the cervical stroma during pregnancy. *Semin Perinatol*. 33(5): 300-307, 2009.
9. Shingo S, Rie Y, Tetsuya S et al. Hyaluronan exists in the Normal Stratum Corneum. *J Invest Dermatol*. 114: 1184-1187, 2000.
10. John HE, Price RD. Perspectives in the selection of hyaluronic acid fillers for facial wrinkles and aging skin. *Patient Prefer Adherence*. 3: 225-230, 2009.
11. Brandt FS, Cazzaniga A. Hyaluronic acid gel fillers in the management of facial aging. *Clin Interv Aging*. 3(1): 153-159, 2008.